

1. Agyapong, V., Behre, T., Juhas, M., & Greenshaw, A. (2016). Preventing Self-harm and Reducing Suicidal Ideation Through an Expedited Regular Supportive Psychotherapy and assertive Case Management – Protocol for a Three-arm Partial Randomised Controlled Trial. *European Psychiatry*, 33(S1), S440-S440. doi:10.1016/j.eurpsy.2016.01.1599
2. Alavi, A., Sharifi, B., Ghanizadeh, A., & Dehbozorgi, G. (2013). Effectiveness of cognitive-behavioral therapy in decreasing suicidal ideation and hopelessness of the adolescents with previous suicidal attempts. *Iranian journal of pediatrics*, 23(4), 467–472.
3. Albert, N., Melau, M., Jensen, H., Emborg, C., Jepsen, J. R., Fagerlund, B., Gluud, C., Mors, O., Hjorthøj, C., & Nordentoft, M. (2017). Five years of specialised early intervention versus two years of specialised early intervention followed by three years of standard treatment for patients with a first episode psychosis: randomised, superiority, parallel group trial in Denmark (OPUS II). *BMJ (Clinical research ed.)*, 356, i6681.
<https://doi.org/10.1136/bmj.i6681>
4. Amianto, F., Ferrero, A., Pierò, A., Cairo, E., Rocca, G., Simonelli, B., Fassina, S., Abbate-Daga, G., & Fassino, S. (2011). Supervised team management, with or without structured psychotherapy, in heavy users of a mental health service with borderline personality disorder: a two-year follow-up preliminary randomized study. *BMC psychiatry*, 11, 181.
<https://doi.org/10.1186/1471-244X-11-181>
5. Andreasson, K., Krogh, J., Wenneberg, C., Jessen, H. K., Krakauer, K., Gluud, C., Thomsen, R. R., Randers, L., & Nordentoft, M. (2016). EFFECTIVENESS OF DIALECTICAL BEHAVIOR THERAPY VERSUS COLLABORATIVE ASSESSMENT AND MANAGEMENT OF SUICIDALITY TREATMENT FOR REDUCTION OF SELF-HARM IN ADULTS WITH BORDERLINE PERSONALITY TRAITS AND DISORDER-A RANDOMIZED OBSERVER-BLINDED CLINICAL TRIAL. *Depression and anxiety*, 33(6), 520–530. <https://doi.org/10.1002/da.22472>
6. Andreoli, A. & Burnand, Y. & Cochenne, M. & Marie, D. & Clemente, T. & Ohlendorf, P.. (2009). S18-03 Psychoanalytic psychotherapy and venlafaxine among acutely suicidal borderline patients: A randomized clinical study. *European Psychiatry - EUR PSYCHIAT*. 24. 10.1016/S0924-9338(09)70326-8.
7. Andreoli, A., Burnand, Y., Cochenne, M. F., Ohlendorf, P., Frambati, L., Gaudry-Maire, D., Di Clemente, T., Hourton, G., Lorillard, S., Canuto, A., & Frances, A. (2016). Disappointed Love and Suicide: A Randomized Controlled Trial of "Abandonment Psychotherapy" Among Borderline Patients. *Journal of personality disorders*, 30(2), 271–287.
https://doi.org/10.1521/pedi_2015_29_196
8. Afrasiabifar, Ardashir & Hosseini, Nazafarin & Haghgoo, Amin. (2018). The Effects of Group Cognitive Behavior Therapy (GCBT) on Suicidal Thoughts in Patients with Major Depression. *World Family Medicine Journal/Middle*

- East Journal of Family Medicine*. 16. 228-235.
10.5742/MEWFM.2018.93293.
9. Armitage, C. J., Rahim, W. A., Rowe, R., & O'Connor, R. C. (2016). An exploratory randomised trial of a simple, brief psychological intervention to reduce subsequent suicidal ideation and behaviour in patients admitted to hospital for self-harm. *The British journal of psychiatry : the journal of mental science*, 208(5), 470–476. <https://doi.org/10.1192/bjp.bp.114.162495>
 10. Arnevik, E., Wilberg, T., Urnes, O., Johansen, M., Monsen, J. T., & Karterud, S. (2009). Psychotherapy for personality disorders: short-term day hospital psychotherapy versus outpatient individual therapy - a randomized controlled study. *European psychiatry : the journal of the Association of European Psychiatrists*, 24(2), 71–78. <https://doi.org/10.1016/j.eurpsy.2008.09.004>
 11. Asarnow, J. R., Baraff, L. J., Berk, M., Grob, C. S., Devich-Navarro, M., Suddath, R., Piacentini, J. C., Rotheram-Borus, M. J., Cohen, D., & Tang, L. (2011). An emergency department intervention for linking pediatric suicidal patients to follow-up mental health treatment. *Psychiatric services (Washington, D.C.)*, 62(11), 1303–1309. https://doi.org/10.1176/ps.62.11.pss6211_1303
 12. Asarnow, J. R., Hughes, J. L., Babeva, K. N., & Sugar, C. A. (2017). Cognitive-Behavioral Family Treatment for Suicide Attempt Prevention: A Randomized Controlled Trial. *Journal of the American Academy of Child and Adolescent Psychiatry*, 56(6), 506–514. <https://doi.org/10.1016/j.jaac.2017.03.015>
 13. Bannan, Noreen, (2010), Group-based problem-solving therapy in self-poisoning females: A pilot study. *Counselling and Psychotherapy Research*, 10 doi: 10.1080/14733140903337292.
 14. Barnhofer, T., Crane, C., Hargus, E., Amarasinghe, M., Winder, R., & Williams, J. M. (2009). Mindfulness-based cognitive therapy as a treatment for chronic depression: A preliminary study. *Behaviour research and therapy*, 47(5), 366–373. <https://doi.org/10.1016/j.brat.2009.01.019>
 15. Bateman, A., & Fonagy, P. (2009). Randomized controlled trial of outpatient mentalization-based treatment versus structured clinical management for borderline personality disorder. *The American journal of psychiatry*, 166(12), 1355–1364. <https://doi.org/10.1176/appi.ajp.2009.09040539>
 16. Bateman, A., & Fonagy, P. (1999). Effectiveness of partial hospitalization in the treatment of borderline personality disorder: a randomized controlled trial. *The American journal of psychiatry*, 156(10), 1563–1569. <https://doi.org/10.1176/ajp.156.10.1563>
 17. Batterham, P. J., Calear, A. L., Farrer, L., McCallum, S. M., & Cheng, V. (2017). *FitMindKit*: Randomised controlled trial of an automatically tailored online program for mood, anxiety, substance use and suicidality. *Internet interventions*, 12, 91–99. <https://doi.org/10.1016/j.invent.2017.08.002>
 18. Batterham, P. J., Calear, A. L., Gulliver, A., & Farrer, L. M. (2019). Efficacy of a transdiagnostic, video-based online program for reducing depression, anxiety, and suicidal ideation in adults: Protocol for a randomised controlled

- trial. *Contemporary clinical trials communications*, 14, 100341. <https://doi.org/10.1016/j.contc.2019.100341>
19. Bentley, K. H., Sauer-Zavalva, S., Cassiello-Robbins, C. F., Conklin, L. R., Vento, S., & Homer, D. (2017). Treating Suicidal Thoughts and Behaviors Within an Emotional Disorders Framework: Acceptability and Feasibility of the Unified Protocol in an Inpatient Setting. *Behavior modification*, 41(4), 529–557. <https://doi.org/10.1177/0145445516689661>
20. Berger-untraceable
21. Bernal, G., Rivera-Medina, C. L., Cumba-Avilés, E., Reyes-Rodríguez, M. L., Sáez-Santiago, E., Duarté-Vélez, Y., Nazario, L., Rodríguez-Quintana, N., & Rosselló, J. (2019). Can Cognitive-Behavioral Therapy Be Optimized With Parent Psychoeducation? A Randomized Effectiveness Trial of Adolescents With Major Depression in Puerto Rico. *Family process*, 58(4), 832–854. <https://doi.org/10.1111/famp.12455>
22. Blomdahl, C., Guregård, S., Rusner, M., & Wijk, H. (2018). A manual-based phenomenological art therapy for individuals diagnosed with moderate to severe depression (PATd): A randomized controlled study. *Psychiatric rehabilitation journal*, 41(3), 169–182. <https://doi.org/10.1037/prj0000300>
23. Blum, N., St John, D., Pfohl, B., Stuart, S., McCormick, B., Allen, J., Arndt, S., & Black, D. W. (2008). Systems Training for Emotional Predictability and Problem Solving (STEPPS) for outpatients with borderline personality disorder: a randomized controlled trial and 1-year follow-up. *The American journal of psychiatry*, 165(4), 468–478. <https://doi.org/10.1176/appi.ajp.2007.07071079>
24. Bohus, M., Schmahl, C., Fydrich, T., Steil, R., Müller-Engelmann, M., Herzog, J., Ludässcher, P., Kleindienst, N., & Priebe, K. (2019). A research programme to evaluate DBT-PTSD, a modular treatment approach for Complex PTSD after childhood abuse. *Borderline personality disorder and emotion dysregulation*, 6, 7. <https://doi.org/10.1186/s40479-019-0099-y>
25. Brenner, L. A., Forster, J. E., Hoffberg, A. S., Matarazzo, B. B., Hostetter, T. A., Signoracci, G., & Simpson, G. K. (2018). Window to Hope: A Randomized Controlled Trial of a Psychological Intervention for the Treatment of Hopelessness Among Veterans With Moderate to Severe Traumatic Brain Injury. *The Journal of head trauma rehabilitation*, 33(2), E64–E73. <https://doi.org/10.1097/HTR.0000000000000351>
26. Brent, D. A., Holder, D., Kolko, D., Birmaher, B., Baugher, M., Roth, C., Iyengar, S., & Johnson, B. A. (1997). A clinical psychotherapy trial for adolescent depression comparing cognitive, family, and supportive therapy. *Archives of general psychiatry*, 54(9), 877–885. <https://doi.org/10.1001/archpsyc.1997.01830210125017>
27. Brent, D., Emslie, G., Clarke, G., Wagner, K. D., Asarnow, J. R., Keller, M., Vitiello, B., Ritz, L., Iyengar, S., Abebe, K., Birmaher, B., Ryan, N., Kennard, B., Hughes, C., DeBar, L., McCracken, J., Strober, M., Suddath, R., Spirito, A., Leonard, H., ... Zelazny, J. (2008). Switching to another SSRI or to venlafaxine with or without cognitive behavioral therapy for adolescents with

- SSRI-resistant depression: the TORDIA randomized controlled trial. *JAMA*, 299(8), 901–913. <https://doi.org/10.1001/jama.299.8.901>
28. Brown, G. K., Ten Have, T., Henriques, G. R., Xie, S. X., Hollander, J. E., & Beck, A. T. (2005). Cognitive therapy for the prevention of suicide attempts: a randomized controlled trial. *JAMA*, 294(5), 563–570. <https://doi.org/10.1001/jama.294.5.563>
29. Brown, L. A., McLean, C. P., Zang, Y., Zandberg, L., Mintz, J., Yarvis, J. S., Litz, B. T., Peterson, A. L., Bryan, C. J., Fina, B., Petersen, J., Dondanville, K. A., Roache, J. D., Young-McCaughan, S., Foa, E. B., & STRONG STAR consortium (2019). Does prolonged exposure increase suicide risk? Results from an active duty military sample. *Behaviour research and therapy*, 118, 87–93. <https://doi.org/10.1016/j.brat.2019.04.003>
30. Bryan, C. J., Mintz, J., Clemans, T. A., Leeson, B., Burch, T. S., Williams, S. R., Maney, E., & Rudd, M. D. (2017). Effect of crisis response planning vs. contracts for safety on suicide risk in U.S. Army Soldiers: A randomized clinical trial. *Journal of affective disorders*, 212, 64–72. <https://doi.org/10.1016/j.jad.2017.01.028>
31. Bush, N. E., Smolenski, D. J., Denneson, L. M., Williams, H. B., Thomas, E. K., & Dobscha, S. K. (2017). A Virtual Hope Box: Randomized Controlled Trial of a Smartphone App for Emotional Regulation and Coping With Distress. *Psychiatric services (Washington, D.C.)*, 68(4), 330–336. <https://doi.org/10.1176/appi.ps.201600283>
32. Carvalho: untraceable
33. Celano, C. M., Beale, E. E., Mastromauro, C. A., Stewart, J. G., Millstein, R. A., Auerbach, R. P., Bedoya, C. A., & Huffman, J. C. (2017). Psychological interventions to reduce suicidality in high-risk patients with major depression: a randomized controlled trial. *Psychological medicine*, 47(5), 810–821. <https://doi.org/10.1017/S0033291716002798>
34. Chanen, A. M., Jackson, H. J., McCutcheon, L. K., Jovev, M., Dudgeon, P., Yuen, H. P., Germano, D., Nistico, H., McDougall, E., Weinstein, C., Clarkson, V., & McGorry, P. D. (2008). Early intervention for adolescents with borderline personality disorder using cognitive analytic therapy: randomised controlled trial. *The British journal of psychiatry : the journal of mental science*, 193(6), 477–484. <https://doi.org/10.1192/bjp.bp.107.048934>
35. Chen, Y. L., Pan, A. W., Hsiung, P. C., Chung, L., Lai, J. S., Shur-Fen Gau, S., & Chen, T. J. (2015). Life Adaptation Skills Training (LAST) for persons with depression: A randomized controlled study. *Journal of affective disorders*, 185, 108–114. <https://doi.org/10.1016/j.jad.2015.06.022>
36. Collinson, M., Owens, D., Blenkiron, P., Burton, K., Graham, L., Hatcher, S., House, A., Martin, K., Pembroke, L., Protheroe, D., Tubeuf, S., & Farrin, A. (2014). MIDSHIPS: multicentre intervention designed for self-harm using interpersonal problem-solving: protocol for a randomised controlled feasibility study. *Trials*, 15, 163. <https://doi.org/10.1186/1745-6215-15-163>
37. Comtois, K. A., Jobes, D. A., S O'Connor, S., Atkins, D. C., Janis, K., E Chessen, C., Landes, S. J., Holen, A., & Yuodelis-Flores, C. (2011). Collaborative assessment and management of suicidality (CAMS): feasibility

- trial for next-day appointment services. *Depression and anxiety*, 28(11), 963–972. <https://doi.org/10.1002/da.20895>
38. Cottraux, J., Note, I. D., Boutitie, F., Milliery, M., Genouihlac, V., Yao, S. N., Note, B., Mollard, E., Bonasse, F., Gaillard, S., Djamoussian, D., Guillard, C., Culem, A., & Gueyffier, F. (2009). Cognitive therapy versus Rogerian supportive therapy in borderline personality disorder. Two-year follow-up of a controlled pilot study. *Psychotherapy and psychosomatics*, 78(5), 307–316. <https://doi.org/10.1159/000229769>
39. Cottrell, D. J., Wright-Hughes, A., Collinson, M., Boston, P., Eisler, I., Fortune, S., Graham, E. H., Green, J., House, A. O., Kerfoot, M., Owens, D. W., Saloniki, E. C., Simic, M., Lambert, F., Rothwell, J., Tubeuf, S., & Farrin, A. J. (2018). Effectiveness of systemic family therapy versus treatment as usual for young people after self-harm: a pragmatic, phase 3, multicentre, randomised controlled trial. *The lancet. Psychiatry*, 5(3), 203–216. [https://doi.org/10.1016/S2215-0366\(18\)30058-0](https://doi.org/10.1016/S2215-0366(18)30058-0)
40. Crawford, M. J., Thana, L., Parker, J., Turner, O., Xing, K. P., McMurran, M., Moran, P., Weaver, T., Barrett, B., Claringbold, A., Bassett, P., & Sanatinia, R. (2018). Psychological Support for Personality (PSP) versus treatment as usual: study protocol for a feasibility randomized controlled trial of a low intensity intervention for people with personality disorder. *Trials*, 19(1), 547. <https://doi.org/10.1186/s13063-018-2920-0>
41. Davidson, K. M., Brown, T. M., James, V., Kirk, J., & Richardson, J. (2014). Manual-assisted cognitive therapy for self-harm in personality disorder and substance misuse: a feasibility trial. *Psychiatric bulletin* (2014), 38(3), 108–111. <https://doi.org/10.1192/pb.bp.113.043109>
42. de Groot, M., de Keijser, J., Neeleman, J., Kerkhof, A., Nolen, W., & Burger, H. (2007). Cognitive behaviour therapy to prevent complicated grief among relatives and spouses bereaved by suicide: cluster randomised controlled trial. *BMJ (Clinical research ed.)*, 334(7601), 994. <https://doi.org/10.1136/bmj.39161.457431.55>
43. De Jaegere, E., van Landschoot, R., van Heeringen, K., van Spijker, B., Kerkhof, A., Mokkenstorm, J. K., & Portzky, G. (2019). The online treatment of suicidal ideation: A randomised controlled trial of an unguided web-based intervention. *Behaviour research and therapy*, 119, 103406. <https://doi.org/10.1016/j.brat.2019.05.003>
44. Diamond, G. S., Kobak, R. R., Krauthamer Ewing, E. S., Levy, S. A., Herres, J. L., Russon, J. M., & Gallop, R. J. (2019). A Randomized Controlled Trial: Attachment-Based Family and Nondirective Supportive Treatments for Youth Who Are Suicidal. *Journal of the American Academy of Child and Adolescent Psychiatry*, 58(7), 721–731. <https://doi.org/10.1016/j.jaac.2018.10.006>
45. Diamond, G. S., Wintersteen, M. B., Brown, G. K., Diamond, G. M., Gallop, R., Shelef, K., & Levy, S. (2010). Attachment-based family therapy for adolescents with suicidal ideation: a randomized controlled trial. *Journal of the American Academy of Child and Adolescent Psychiatry*, 49(2), 122–131. <https://doi.org/10.1097/00004583-201002000-00006>

46. Doering, S., Hörz, S., Rentrop, M., Fischer-Kern, M., Schuster, P., Benecke, C., Buchheim, A., Martius, P., & Buchheim, P. (2010). Transference-focused psychotherapy v. treatment by community psychotherapists for borderline personality disorder: randomised controlled trial. *The British journal of psychiatry : the journal of mental science*, 196(5), 389–395. <https://doi.org/10.1192/bjp.bp.109.070177>
47. Donaldson, D., Spirito, A., & Esposito-Smythers, C. (2005). Treatment for adolescents following a suicide attempt: results of a pilot trial. *Journal of the American Academy of Child and Adolescent Psychiatry*, 44(2), 113–120. <https://doi.org/10.1097/00004583-200502000-00003>
48. Ducasse, D., Dassa, D., Courtet, P., Brand-Arpon, V., Walter, A., Guillaume, S., Jaussent, I., & Olié, E. (2019). Gratitude diary for the management of suicidal inpatients: A randomized controlled trial. *Depression and anxiety*, 36(5), 400–411. <https://doi.org/10.1002/da.22877>
49. Ducasse, D., Jaussent, I., Arpon-Brand, V., Vienot, M., Laglaoui, C., Béziat, S., Calati, R., Carrière, I., Guillaume, S., Courtet, P., & Olié, E. (2018). Acceptance and Commitment Therapy for the Management of Suicidal Patients: A Randomized Controlled Trial. *Psychotherapy and psychosomatics*, 87(4), 211–222. <https://doi.org/10.1159/000488715>
50. Ebrahimi, H., Kazemi, A. H., Fallahi Khoshknab, M., & Modabber, R. (2014). The effect of spiritual and religious group psychotherapy on suicidal ideation in depressed patients: a randomized clinical trial. *Journal of caring sciences*, 3(2), 131–140. <https://doi.org/10.5681/jcs.2014.014>
51. Eggert, L. L., Thompson, E. A., Randell, B. P., & Pike, K. C. (2002). Preliminary effects of brief school-based prevention approaches for reducing youth suicide-risk behaviors, depression, and drug involvement. *Journal of child and adolescent psychiatric nursing : official publication of the Association of Child and Adolescent Psychiatric Nurses, Inc*, 15(2), 48–64. <https://doi.org/10.1111/j.1744-6171.2002.tb00326.x>
52. Ertl, V., Pfeiffer, A., Schauer, E., Elbert, T., & Neuner, F. (2011). Community-implemented trauma therapy for former child soldiers in Northern Uganda: a randomized controlled trial. *JAMA*, 306(5), 503–512. <https://doi.org/10.1001/jama.2011.1060>
53. Eskin, M., Ertekin, K. & Demir, H. Efficacy of a Problem-Solving Therapy for Depression and Suicide Potential in Adolescents and Young Adults. *Cogn Ther Res* 32, 227–245 (2008). <https://doi.org/10.1007/s10608-007-9172-8>
54. Esposito-Smythers, C., Spirito, A., Kahler, C. W., Hunt, J., & Monti, P. (2011). Treatment of co-occurring substance abuse and suicidality among adolescents: a randomized trial. *Journal of consulting and clinical psychology*, 79(6), 728–739. <https://doi.org/10.1037/a0026074>
55. Esposito-Smythers, C., Hadley, W., Curby, T. W., & Brown, L. K. (2017). Randomized pilot trial of a cognitive-behavioral alcohol, self-harm, and HIV prevention program for teens in mental health treatment. *Behaviour research and therapy*, 89, 49–56. <https://doi.org/10.1016/j.brat.2016.11.005>
56. Esposito-Smythers, C., Wolff, J. C., Liu, R. T., Hunt, J. I., Adams, L., Kim, K., Frazier, E. A., Yen, S., Dickstein, D. P., & Spirito, A. (2019). Family-

- focused cognitive behavioral treatment for depressed adolescents in suicidal crisis with co-occurring risk factors: a randomized trial. *Journal of child psychology and psychiatry, and allied disciplines*, 60(10), 1133–1141.
<https://doi.org/10.1111/jcpp.13095>
57. Evans, K., Tyrer, P., Catalan, J., Schmidt, U., Davidson, K., Dent, J., Tata, P., Thornton, S., Barber, J., & Thompson, S. (1999). Manual-assisted cognitive-behaviour therapy (MACT): a randomized controlled trial of a brief intervention with bibliotherapy in the treatment of recurrent deliberate self-harm. *Psychological medicine*, 29(1), 19–25.
<https://doi.org/10.1017/s003329179800765x>
58. Eylem, O., van Straten, A., Bhui, K., & Kerkhof, A. J. (2015). Protocol: Reducing suicidal ideation among Turkish migrants in the Netherlands and in the UK: effectiveness of an online intervention. *International review of psychiatry (Abingdon, England)*, 27(1), 72–81.
<https://doi.org/10.3109/09540261.2014.996121>
59. Färdig, R., Lewander, T., Melin, L., Folke, F., & Fredriksson, A. (2011). A randomized controlled trial of the illness management and recovery program for persons with schizophrenia. *Psychiatric services (Washington, D.C.)*, 62(6), 606–612. https://doi.org/10.1176/ps.62.6.pss6206_0606
60. Feigenbaum, J. D., Fonagy, P., Pilling, S., Jones, A., Wildgoose, A., & Bebbington, P. E. (2012). A real-world study of the effectiveness of DBT in the UK National Health Service. *The British journal of clinical psychology*, 51(2), 121–141. <https://doi.org/10.1111/j.2044-8260.2011.02017.x>
61. Franklin, J. C., Fox, K. R., Franklin, C. R., Kleiman, E. M., Ribeiro, J. D., Jaroszewski, A. C., Hooley, J. M., & Nock, M. K. (2016). A brief mobile app reduces nonsuicidal and suicidal self-injury: Evidence from three randomized controlled trials. *Journal of consulting and clinical psychology*, 84(6), 544–557. <https://doi.org/10.1037/ccp0000093>
62. Freeman, D., Waite, F., Emsley, R., Kingdon, D., Davies, L., Fitzpatrick, R., & Dunn, G. (2016). The efficacy of a new translational treatment for persecutory delusions: study protocol for a randomised controlled trial (The Feeling Safe Study). *Trials*, 17(1), 134. <https://doi.org/10.1186/s13063-016-1245-0>
63. Freeman, D., Lister, R., Waite, F., Yu, L. M., Slater, M., Dunn, G., & Clark, D. (2019). Automated psychological therapy using virtual reality (VR) for patients with persecutory delusions: study protocol for a single-blind parallel-group randomised controlled trial (THRIVE). *Trials*, 20(1), 87.
<https://doi.org/10.1186/s13063-019-3198-6>
64. Ghahramanlou-Holloway, M., Brown, G. K., Currier, G. W., Brenner, L., Knox, K. L., Grammer, G., Carreno-Ponce, J. T., & Stanley, B. (2014). Safety Planning for Military (SAFE MIL): rationale, design, and safety considerations of a randomized controlled trial to reduce suicide risk among psychiatric inpatients. *Contemporary clinical trials*, 39(1), 113–123.
<https://doi.org/10.1016/j.cct.2014.07.003>

65. Ghahramanlou-Holloway, M., LaCroix, J. M., Perera, K. U., Neely, L., Grammer, G., Weaver, J., Novak, L. A., Colborn, V., & Lee-Tauler, S. Y. (2020). Inpatient psychiatric care following a suicide-related hospitalization: A pilot trial of Post-Admission Cognitive Therapy in a military medical center. *General hospital psychiatry*, 63, 46–53.
<https://doi.org/10.1016/j.genhosppsych.2018.11.006>
66. Gleeson, J. F., Chanen, A., Cotton, S. M., Pearce, T., Newman, B., & McCutcheon, L. (2012). Treating co-occurring first-episode psychosis and borderline personality: a pilot randomized controlled trial. *Early intervention in psychiatry*, 6(1), 21–29. <https://doi.org/10.1111/j.1751-7893.2011.00306.x>
67. Goldstein, T. R., Fersch-Podrat, R. K., Rivera, M., Axelson, D. A., Merranko, J., Yu, H., Brent, D. A., & Birmaher, B. (2015). Dialectical behavior therapy for adolescents with bipolar disorder: results from a pilot randomized trial. *Journal of child and adolescent psychopharmacology*, 25(2), 140–149. <https://doi.org/10.1089/cap.2013.0145>
68. Goodman, M., Banthin, D., Blair, N. J., Mascitelli, K. A., Wilsnack, J., Chen, J., Messenger, J. W., Perez-Rodriguez, M. M., Triebwasser, J., Koenigsberg, H. W., Goetz, R. R., Hazlett, E. A., & New, A. S. (2016). A Randomized Trial of Dialectical Behavior Therapy in High-Risk Suicidal Veterans. *The Journal of clinical psychiatry*, 77(12), e1591–e1600.
<https://doi.org/10.4088/JCP.15m10235>
69. Goodyer, I. M., Dubicka, B., Wilkinson, P., Kelvin, R., Roberts, C., Byford, S., Breen, S., Ford, C., Barrett, B., Leech, A., Rothwell, J., White, L., & Harrington, R. (2008). A randomised controlled trial of cognitive behaviour therapy in adolescents with major depression treated by selective serotonin reuptake inhibitors. The ADAPT trial. *Health technology assessment (Winchester, England)*, 12(14), iii–60. <https://doi.org/10.3310/hta12140>
70. Green, J. M., Wood, A. J., Kerfoot, M. J., Trainor, G., Roberts, C., Rothwell, J., Woodham, A., Ayodeji, E., Barrett, B., Byford, S., & Harrington, R. (2011). Group therapy for adolescents with repeated self harm: randomised controlled trial with economic evaluation. *BMJ (Clinical research ed.)*, 342, d682. <https://doi.org/10.1136/bmj.d682>
71. Gregory, R. J., Chlebowski, S., Kang, D., Remen, A. L., Soderberg, M. G., Stepkovich, J., & Virk, S. (2008). A controlled trial of psychodynamic psychotherapy for co-occurring borderline personality disorder and alcohol use disorder. *Psychotherapy (Chicago, Ill.)*, 45(1), 28–41.
<https://doi.org/10.1037/0033-3204.45.1.28>
72. Griffiths, H., Duffy, F., Duffy, L., Brown, S., Hockaday, H., Eliasson, E., Graham, J., Smith, J., Thomson, A., & Schwannauer, M. (2019). Efficacy of Mentalization-based group therapy for adolescents: the results of a pilot randomised controlled trial. *BMC psychiatry*, 19(1), 167.
<https://doi.org/10.1186/s12888-019-2158-8>
73. Guthrie, E., Kapur, N., Mackway-Jones, K., Chew-Graham, C., Moorey, J., Mendel, E., Marino-Francis, F., Sanderson, S., Turpin, C., Boddy, G., & Tomenson, B. (2001). Randomised controlled trial of brief psychological

- intervention after deliberate self poisoning. *BMJ (Clinical research ed.)*, 323(7305), 135–138. <https://doi.org/10.1136/bmj.323.7305.135>
74. Gysin-Maillart, A., Schwab, S., Soravia, L., Megert, M., & Michel, K. (2016). A Novel Brief Therapy for Patients Who Attempt Suicide: A 24-months Follow-Up Randomized Controlled Study of the Attempted Suicide Short Intervention Program (ASSIP). *PLoS medicine*, 13(3), e1001968. <https://doi.org/10.1371/journal.pmed.1001968>
75. Haddock, G., Pratt, D., Gooding, P. A., Peters, S., Emsley, R., Evans, E., Kelly, J., Huggett, C., Munro, A., Harris, K., Davies, L., & Awenat, Y. (2019). Feasibility and acceptability of suicide prevention therapy on acute psychiatric wards: randomised controlled trial. *BJPsych open*, 5(1), e14. <https://doi.org/10.1192/bjo.2018.85>
76. Hahm, H. C., Zhou, L., Lee, C., Maru, M., Petersen, J. M., & Kolaczyk, E. D. (2019). Feasibility, preliminary efficacy, and safety of a randomized clinical trial for Asian Women's Action for Resilience and Empowerment (AWARE) intervention. *The American journal of orthopsychiatry*, 89(4), 462–474. <https://doi.org/10.1037/ort0000383>
77. Harned, M. S., Korslund, K. E., & Linehan, M. M. (2014). A pilot randomized controlled trial of Dialectical Behavior Therapy with and without the Dialectical Behavior Therapy Prolonged Exposure protocol for suicidal and self-injuring women with borderline personality disorder and PTSD. *Behaviour research and therapy*, 55, 7–17. <https://doi.org/10.1016/j.brat.2014.01.008>
78. Harrington, R., Kerfoot, M., Dyer, E., McNiven, F., Gill, J., Harrington, V., Woodham, A., & Byford, S. (1998). Randomized trial of a home-based family intervention for children who have deliberately poisoned themselves. *Journal of the American Academy of Child and Adolescent Psychiatry*, 37(5), 512–518.
79. Hatcher, S., Coupe, N., Wikiriwhi, K., Durie, S. M., & Pillai, A. (2016). Te Ira Tangata: a Zelen randomised controlled trial of a culturally informed treatment compared to treatment as usual in Māori who present to hospital after self-harm. *Social psychiatry and psychiatric epidemiology*, 51(6), 885–894. <https://doi.org/10.1007/s00127-016-1194-7>
80. Hatcher, S., Sharon, C., House, A., Collins, N., Collings, S., & Pillai, A. (2015). The ACCESS study: Zelen randomised controlled trial of a package of care for people presenting to hospital after self-harm. *The British journal of psychiatry : the journal of mental science*, 206(3), 229–236. <https://doi.org/10.1192/bjp.bp.113.135780>
81. Hatcher, S., Sharon, C., Parag, V., & Collins, N. (2011). Problem-solving therapy for people who present to hospital with self-harm: Zelen randomised controlled trial. *The British journal of psychiatry : the journal of mental science*, 199(4), 310–316. <https://doi.org/10.1192/bjp.bp.110.090126>
82. Hazell, P. L., Martin, G., McGill, K., Kay, T., Wood, A., Trainor, G., & Harrington, R. (2009). Group therapy for repeated deliberate self-harm in adolescents: failure of replication of a randomized trial. *Journal of the*

- American Academy of Child and Adolescent Psychiatry*, 48(6), 662–670.
<https://doi.org/10.1097/CHI.0b013e3181aOacec>
83. Hetrick, S. E., Yuen, H. P., Bailey, E., Cox, G. R., Templer, K., Rice, S. M., Bendall, S., & Robinson, J. (2017). Internet-based cognitive behavioural therapy for young people with suicide-related behaviour (Reframe-IT): a randomised controlled trial. *Evidence-based mental health*, 20(3), 76–82.
<https://doi.org/10.1136/eb-2017-102719>
84. Hill, R. M., & Pettit, J. W. (2019). Pilot Randomized Controlled Trial of LEAP: A Selective Preventive Intervention to Reduce Adolescents' Perceived Burdensomeness. *Journal of clinical child and adolescent psychology : the official journal for the Society of Clinical Child and Adolescent Psychology, American Psychological Association, Division 53*, 48(sup1), S45–S56.
<https://doi.org/10.1080/15374416.2016.1188705>
85. Högberg, G., & Hällström, T. (2018). Mood Regulation Focused CBT Based on Memory Reconsolidation, Reduced Suicidal Ideation and Depression in Youth in a Randomised Controlled Study. *International journal of environmental research and public health*, 15(5), 921.
<https://doi.org/10.3390/ijerph15050921>
86. Hooley, J. M., Fox, K. R., Wang, S. B., & Kwashie, A. (2018). Novel online daily diary interventions for nonsuicidal self-injury: a randomized controlled trial. *BMC psychiatry*, 18(1), 264. <https://doi.org/10.1186/s12888-018-1840-6>
87. Huey, S. J., Jr, Henggeler, S. W., Rowland, M. D., Halliday-Boykins, C. A., Cunningham, P. B., Pickrel, S. G., & Edwards, J. (2004). Multisystemic therapy effects on attempted suicide by youths presenting psychiatric emergencies. *Journal of the American Academy of Child and Adolescent Psychiatry*, 43(2), 183–190. <https://doi.org/10.1097/00004583-200402000-00014>
88. Hurtado-Santiago, S., Guzmán-Parra, J., Bersabé, R. M., & Mayoral, F. (2018). Effectiveness of iconic therapy for the reduction of borderline personality disorder symptoms among suicidal youth: study protocol for a randomised controlled trial. *BMC psychiatry*, 18(1), 277.
<https://doi.org/10.1186/s12888-018-1857-x>
89. Husain, N., Afsar, S., Ara, J., Fayyaz, H., Rahman, R. U., Tomenson, B., Hamirani, M., Chaudhry, N., Fatima, B., Husain, M., Naeem, F., & Chaudhry, I. B. (2014). Brief psychological intervention after self-harm: randomised controlled trial from Pakistan. *The British journal of psychiatry : the journal of mental science*, 204(6), 462–470. <https://doi.org/10.1192/bjp.bp.113.138370>
90. Hvid, M., Vangborg, K., Sørensen, H. J., Nielsen, I. K., Stenborg, J. M., & Wang, A. G. (2011). Preventing repetition of attempted suicide--II. The Amager project, a randomized controlled trial. *Nordic journal of psychiatry*, 65(5), 292–298. <https://doi.org/10.3109/08039488.2010.544404>
91. Inder, M. L., Crowe, M. T., Luty, S. E., Carter, J. D., Moor, S., Frampton, C. M., & Joyce, P. R. (2016). Prospective rates of suicide attempts and nonsuicidal self-injury by young people with bipolar disorder participating in a psychotherapy study. *The Australian and New Zealand journal of psychiatry*, 50(2), 167–173. <https://doi.org/10.1177/0004867415622268>

92. Jobes, D. A., Comtois, K. A., Gutierrez, P. M., Brenner, L. A., Huh, D., Chalker, S. A., Ruhe, G., Kerbrat, A. H., Atkins, D. C., Jennings, K., Crumlish, J., Corona, C. D., Connor, S. O., Hendricks, K. E., Schembari, B., Singer, B., & Crow, B. (2017). A Randomized Controlled Trial of the Collaborative Assessment and Management of Suicidality versus Enhanced Care as Usual With Suicidal Soldiers. *Psychiatry*, 80(4), 339–356. <https://doi.org/10.1080/00332747.2017.1354607>
93. Johnson, J. E., Stout, R. L., Miller, T. R., Zlotnick, C., Cerbo, L. A., Andrade, J. T., Nargiso, J., Bonner, J., & Wiltsey-Stirman, S. (2019). Randomized cost-effectiveness trial of group interpersonal psychotherapy (IPT) for prisoners with major depression. *Journal of consulting and clinical psychology*, 87(4), 392–406. <https://doi.org/10.1037/ccp0000379>
94. Juul, S., Lunn, S., Poulsen, S., Sørensen, P., Salimi, M., Jakobsen, J. C., Bateman, A., & Simonsen, S. (2019). Short-term versus long-term mentalization-based therapy for outpatients with subthreshold or diagnosed borderline personality disorder: a protocol for a randomized clinical trial. *Trials*, 20(1), 196. <https://doi.org/10.1186/s13063-019-3306-7>
95. Kaslow, N. J., Leiner, A. S., Reviere, S., Jackson, E., Bethea, K., Bhaju, J., Rhodes, M., Gantt, M. J., Senter, H., & Thompson, M. P. (2010). Suicidal, abused African American women's response to a culturally informed intervention. *Journal of consulting and clinical psychology*, 78(4), 449–458. <https://doi.org/10.1037/a0019692>
96. King, C. A., Gipson, P. Y., Horwitz, A. G., & Opperman, K. J. (2015). Teen options for change: an intervention for young emergency patients who screen positive for suicide risk. *Psychiatric services (Washington, D.C.)*, 66(1), 97–100. <https://doi.org/10.1176/appi.ps.201300347>
97. Kuyken, W., Nuthall, E., Byford, S., Crane, C., Dalgleish, T., Ford, T., Greenberg, M. T., Ukoumunne, O. C., Viner, R. M., Williams, J., & MYRIAD team (2017). The effectiveness and cost-effectiveness of a mindfulness training programme in schools compared with normal school provision (MYRIAD): study protocol for a randomised controlled trial. *Trials*, 18(1), 194. <https://doi.org/10.1186/s13063-017-1917-4>
98. Koons, Cedar & Robins, Clive & Tweed, J. & Lynch, Thomas & Gonzalez, Alicia & Morse, Jennifer & Bishop, G. & Butterfield, Marian. (2001). Efficacy of dialectical behavior therapy in women veterans with borderline Personality disorder. *Behavior Therapy*. 32. 371-390. 10.1016/S0005-7894(01)80009-5.
99. LaCroix, J. M., Perera, K. U., Neely, L. L., Grammer, G., Weaver, J., & Ghahramanlou-Holloway, M. (2018). Pilot trial of post-admission cognitive therapy: Inpatient program for suicide prevention. *Psychological services*, 15(3), 279–288. <https://doi.org/10.1037/se0000224>
100. Smits, M. L., Feenstra, D. J., Eeren, H. V., Bales, D. L., Laurensen, E., Blankers, M., Soons, M., Dekker, J., Lucas, Z., Verheul, R., & Luyten, P. (2020). Day hospital versus intensive out-patient mentalisation-based treatment for borderline personality disorder: multicentre randomised clinical

- trial. *The British journal of psychiatry : the journal of mental science*, 216(2), 79–84. <https://doi.org/10.1192/bjp.2019.9>
101. Laurensen, E., Luyten, P., Kikkert, M. J., Westra, D., Peen, J., Soons, M., van Dam, A. M., van Broekhuyzen, A. J., Blankers, M., Busschbach, J., & Dekker, J. (2018). Day hospital mentalization-based treatment v. specialist treatment as usual in patients with borderline personality disorder: randomized controlled trial. *Psychological medicine*, 48(15), 2522–2529. <https://doi.org/10.1017/S0033291718000132>
102. Liberman, R. P., & Eckman, T. (1981). Behavior therapy vs insight-oriented therapy for repeated suicide attempts. *Archives of general psychiatry*, 38(10), 1126–1130. <https://doi.org/10.1001/archpsyc.1981.01780350060007>
103. Lin, T. J., Ko, H. C., Wu, J. Y., Oei, T. P., Lane, H. Y., & Chen, C. H. (2019). The Effectiveness of Dialectical Behavior Therapy Skills Training Group vs. Cognitive Therapy Group on Reducing Depression and Suicide Attempts for Borderline Personality Disorder in Taiwan. *Archives of suicide research : official journal of the International Academy for Suicide Research*, 23(1), 82–99. <https://doi.org/10.1080/13811118.2018.1436104>
104. Linehan, M. M., Armstrong, H. E., Suarez, A., Allmon, D., & Heard, H. L. (1991). Cognitive-behavioral treatment of chronically parasuicidal borderline patients. *Archives of general psychiatry*, 48(12), 1060–1064. <https://doi.org/10.1001/archpsyc.1991.01810360024003>
105. Linehan, M. M., Comtois, K. A., Murray, A. M., Brown, M. Z., Gallop, R. J., Heard, H. L., Korslund, K. E., Tutek, D. A., Reynolds, S. K., & Lindenboim, N. (2006). Two-year randomized controlled trial and follow-up of dialectical behavior therapy vs therapy by experts for suicidal behaviors and borderline personality disorder. *Archives of general psychiatry*, 63(7), 757–766. <https://doi.org/10.1001/archpsyc.63.7.757>
106. Linehan, M. M., Schmidt, H., 3rd, Dimeff, L. A., Craft, J. C., Kanter, J., & Comtois, K. A. (1999). Dialectical behavior therapy for patients with borderline personality disorder and drug-dependence. *The American journal on addictions*, 8(4), 279–292. <https://doi.org/10.1080/105504999305686>
107. Linehan, M. M., Korslund, K. E., Harned, M. S., Gallop, R. J., Lungu, A., Neacsiu, A. D., McDavid, J., Comtois, K. A., & Murray-Gregory, A. M. (2015). Dialectical behavior therapy for high suicide risk in individuals with borderline personality disorder: a randomized clinical trial and component analysis. *JAMA psychiatry*, 72(5), 475–482. <https://doi.org/10.1001/jamapsychiatry.2014.3039>
108. LoParo, D., Mack, S. A., Patterson, B., Negi, L. T., & Kaslow, N. J. (2018). The efficacy of cognitively-based compassion training for African American suicide attempts. *Mindfulness*, 9(6), 1941–1954. <https://doi.org/10.1007/s12671-018-0940-1>
109. Lu, R., Zhou, Y., Wu, Q., Peng, X., Dong, J., Zhu, Z., & Xu, W. (2019). The effects of mindfulness training on suicide ideation among left-behind children in China: A randomized controlled trial. *Child: care, health and development*, 45(3), 371–379. <https://doi.org/10.1111/cch.12650>

110. Marasinghe, R. B., Edirippulige, S., Kavanagh, D., Smith, A., & Jiffry, M. T. (2012). Effect of mobile phone-based psychotherapy in suicide prevention: a randomized controlled trial in Sri Lanka. *Journal of telemedicine and telecare*, 18(3), 151–155. <https://doi.org/10.1258/jtt.2012.SFT107>
111. March, J., Silva, S., Petrycki, S., Curry, J., Wells, K., Fairbank, J., Burns, B., Domino, M., McNulty, S., Vitiello, B., Severe, J., & Treatment for Adolescents With Depression Study (TADS) Team (2004). Fluoxetine, cognitive-behavioral therapy, and their combination for adolescents with depression: Treatment for Adolescents With Depression Study (TADS) randomized controlled trial. *JAMA*, 292(7), 807–820. <https://doi.org/10.1001/jama.292.7.807>
112. McAuliffe, C., McLeavey, B. C., Fitzgerald, T., Corcoran, P., Carroll, B., Ryan, L., O'Keefe, B., Fitzgerald, E., Hickey, P., O'Regan, M., Mulqueen, J., & Arensman, E. (2014). Group problem-solving skills training for self-harm: randomised controlled trial. *The British journal of psychiatry : the journal of mental science*, 204, 383–390. <https://doi.org/10.1192/bjp.bp.111.101816>
113. McCauley, E., Berk, M. S., Asarnow, J. R., Adrian, M., Cohen, J., Korslund, K., Avina, C., Hughes, J., Harned, M., Gallop, R., & Linehan, M. M. (2018). Efficacy of Dialectical Behavior Therapy for Adolescents at High Risk for Suicide: A Randomized Clinical Trial. *JAMA psychiatry*, 75(8), 777–785. <https://doi.org/10.1001/jamapsychiatry.2018.1109>
114. McMain, S. F., Links, P. S., Gnam, W. H., Guimond, T., Cardish, R. J., Korman, L., & Streiner, D. L. (2009). A randomized trial of dialectical behavior therapy versus general psychiatric management for borderline personality disorder. *The American journal of psychiatry*, 166(12), 1365–1374. <https://doi.org/10.1176/appi.ajp.2009.09010039>
115. McMain, S. F., Guimond, T., Barnhart, R., Habinski, L., & Streiner, D. L. (2017). A randomized trial of brief dialectical behaviour therapy skills training in suicidal patients suffering from borderline disorder. *Acta psychiatica Scandinavica*, 135(2), 138–148. <https://doi.org/10.1111/acps.12664>
116. McManama O'Brien, K. H., Sellers, C. M., Battalen, A. W., Ryan, C. A., Maneta, E. K., Aguinaldo, L. D., White, E., & Spirito, A. (2018). Feasibility, acceptability, and preliminary effects of a brief alcohol intervention for suicidal adolescents in inpatient psychiatric treatment. *Journal of substance abuse treatment*, 94, 105–112. <https://doi.org/10.1016/j.jsat.2018.08.013>
117. Mehlum, L., Tørmoen, A. J., Ramberg, M., Haga, E., Diep, L. M., Laberg, S., Larsson, B. S., Stanley, B. H., Miller, A. L., Sund, A. M., & Grøholt, B. (2014). Dialectical behavior therapy for adolescents with repeated suicidal and self-harming behavior: a randomized trial. *Journal of the American Academy of Child and Adolescent Psychiatry*, 53(10), 1082–1091. <https://doi.org/10.1016/j.jaac.2014.07.003>
118. Melvin, G. A., Tonge, B. J., King, N. J., Heyne, D., Gordon, M. S., & Klimkeit, E. (2006). A comparison of cognitive-behavioral therapy, sertraline, and their combination for adolescent depression. *Journal of the American Academy of Child and Adolescent Psychiatry*, 45(10), 1151–1161. <https://doi.org/10.1097/01.chi.0000233157.21925.71>

- 119.Miller, I. W., Keitner, G. I., Ryan, C. E., Solomon, D. A., Cardemil, E. V., & Beevers, C. G. (2005). Treatment matching in the posthospital care of depressed patients. *The American journal of psychiatry*, 162(11), 2131–2138. <https://doi.org/10.1176/appi.ajp.162.11.2131>
- 120.Montesó-Curto, P., García-Martínez, M., Gómez-Martínez, C., Ferré-Almo, S., Panisello-Chavarria, M. L., Genís, S. R., Mateu Gil, M. L., Cubí Guillén, M. T., Colás, L. S., Usach, T. S., Herrero, A. S., & Ferré-Grau, C. (2015). Effectiveness of Three Types of Interventions in Patients with Fibromyalgia in a Region of Southern Catalonia. *Pain management nursing : official journal of the American Society of Pain Management Nurses*, 16(5), 642–652. <https://doi.org/10.1016/j.pmn.2015.01.006>
- 121.Morey, L. C., Lowmaster, S. E., & Hopwood, C. J. (2010). A pilot study of Manual-Assisted Cognitive Therapy with a Therapeutic Assessment augmentation for Borderline Personality Disorder. *Psychiatry research*, 178(3), 531–535. <https://doi.org/10.1016/j.psychres.2010.04.055>
- 122.Moritz, S., Mahlke, C. I., Westermann, S., Ruppelt, F., Lysaker, P. H., Bock, T., & Andreou, C. (2018). Embracing Psychosis: A Cognitive Insight Intervention Improves Personal Narratives and Meaning-Making in Patients With Schizophrenia. *Schizophrenia bulletin*, 44(2), 307–316. <https://doi.org/10.1093/schbul/sbx072>
- 123.Morley, K. C., Sitharthan, G., Haber, P. S., Tucker, P., & Sitharthan, T. (2014). The efficacy of an opportunistic cognitive behavioral intervention package (OCB) on substance use and comorbid suicide risk: a multisite randomized controlled trial. *Journal of consulting and clinical psychology*, 82(1), 130–140. <https://doi.org/10.1037/a0035310>
- 124.Morthorst, B., Krogh, J., Erlangsen, A., Alberdi, F., & Nordentoft, M. (2012). Effect of assertive outreach after suicide attempt in the AID (assertive intervention for deliberate self harm) trial: randomised controlled trial. *BMJ (Clinical research ed.)*, 345, e4972. <https://doi.org/10.1136/bmj.e4972>
- 125.Mühlmann, C., Madsen, T., Hjorthøj, C., Kerkhof, A., Nordentoft, M., & Erlangsen, A. (2017). The Self-help Online against Suicidal thoughts (SOS) trial: study protocol for a randomized controlled trial. *Trials*, 18(1), 45. <https://doi.org/10.1186/s13063-017-1794-x>
- 126.SS Naidoo, P Gathiram & L Schlebusch (2014). Effectiveness of a Buddy intervention support programme for suicidal behaviour in a primary care setting, *South African Family Practice*, 56:5, 263-270, DOI: [10.1080/20786190.2014.980159](https://doi.org/10.1080/20786190.2014.980159)
- 127.O'Connor, R. C., Ferguson, E., Scott, F., Smyth, R., McDaid, D., Park, A. L., Beautrais, A., & Armitage, C. J. (2017). A brief psychological intervention to reduce repetition of self-harm in patients admitted to hospital following a suicide attempt: a randomised controlled trial. *The lancet. Psychiatry*, 4(6), 451–460. [https://doi.org/10.1016/S2215-0366\(17\)30129-3](https://doi.org/10.1016/S2215-0366(17)30129-3)
- 128.O'Toole, M. S., Arendt, M. B., & Pedersen, C. M. (2019). Testing an App-Assisted Treatment for Suicide Prevention in a Randomized Controlled Trial: Effects on Suicide Risk and Depression. *Behavior therapy*, 50(2), 421–429. <https://doi.org/10.1016/j.beth.2018.07.007>

- 129.Patel, V., Weobong, B., Weiss, H. A., Anand, A., Bhat, B., Katti, B., Dimidjian, S., Araya, R., Hollon, S. D., King, M., Vijayakumar, L., Park, A. L., McDaid, D., Wilson, T., Velleman, R., Kirkwood, B. R., & Fairburn, C. G. (2017). The Healthy Activity Program (HAP), a lay counsellor-delivered brief psychological treatment for severe depression, in primary care in India: a randomised controlled trial. *Lancet (London, England)*, 389(10065), 176–185. [https://doi.org/10.1016/S0140-6736\(16\)31589-6](https://doi.org/10.1016/S0140-6736(16)31589-6)
- 130.Patsiokas, A. T., & Clum, G. A. (1985). Effects of psychotherapeutic strategies in the treatment of suicide attempters. *Psychotherapy: Theory, Research, Practice, Training*, 22(2), 281–290. <https://doi.org/10.1037/h0085507>
- 131.Pepping, C. A., Lyons, A., McNair, R., Kirby, J. N., Petrocchi, N., & Gilbert, P. (2017). A tailored compassion-focused therapy program for sexual minority young adults with depressive symptomatology: study protocol for a randomized controlled trial. *BMC psychology*, 5(1), 5. <https://doi.org/10.1186/s40359-017-0175-2>
- 132.Perry, Y., Calear, A. L., Mackinnon, A., Batterham, P. J., Licinio, J., King, C., Thomsen, N., Scott, J., Donker, T., Merry, S., Fleming, T., Stasiak, K., Werner-Seidler, A., & Christensen, H. (2015). Trial for the Prevention of Depression (TriPoD) in final-year secondary students: study protocol for a cluster randomised controlled trial. *Trials*, 16, 451. <https://doi.org/10.1186/s13063-015-0929-1>
- 133.Peters, E., Landau, S., McCrone, P., Cooke, M., Fisher, P., Steel, C., Evans, R., Carswell, K., Dawson, K., Williams, S., Howard, A., & Kuipers, E. (2010). A randomised controlled trial of cognitive behaviour therapy for psychosis in a routine clinical service. *Acta psychiatica Scandinavica*, 122(4), 302–318. <https://doi.org/10.1111/j.1600-0447.2010.01572.x>
- 134.Pfeiffer, P. N., King, C., Ilgen, M., Ganoczy, D., Clive, R., Garlick, J., Abraham, K., Kim, H. M., Vega, E., Ahmedani, B., & Valenstein, M. (2019). Development and pilot study of a suicide prevention intervention delivered by peer support specialists. *Psychological services*, 16(3), 360–371. <https://doi.org/10.1037/ser0000257>
- 135.Pigeon, W. R., Funderburk, J., Bishop, T. M., & Crean, H. F. (2017). Brief cognitive behavioral therapy for insomnia delivered to depressed veterans receiving primary care services: A pilot study. *Journal of affective disorders*, 217, 105–111. <https://doi.org/10.1016/j.jad.2017.04.003>
- 136.Pigeon, W. R., Funderburk, J. S., Cross, W., Bishop, T. M., & Crean, H. F. (2019). Brief CBT for insomnia delivered in primary care to patients endorsing suicidal ideation: a proof-of-concept randomized clinical trial. *Translational behavioral medicine*, 9(6), 1169–1177. <https://doi.org/10.1093/tbm/ibz108>
- 137.Pineda, J., & Dadds, M. R. (2013). Family intervention for adolescents with suicidal behavior: a randomized controlled trial and mediation analysis. *Journal of the American Academy of Child and Adolescent Psychiatry*, 52(8), 851–862. <https://doi.org/10.1016/j.jaac.2013.05.015>

- 138.Power, P. J., Bell, R. J., Mills, R., Herrman-Doig, T., Davern, M., Henry, L., Yuen, H. P., Khademy-Deljo, A., & McGorry, P. D. (2003). Suicide prevention in first episode psychosis: the development of a randomised controlled trial of cognitive therapy for acutely suicidal patients with early psychosis. *The Australian and New Zealand journal of psychiatry*, 37(4), 414–420. <https://doi.org/10.1046/j.1440-1614.2003.01209.x>
- 139.Pratt, D., Tarrier, N., Dunn, G., Awenat, Y., Shaw, J., Ulph, F., & Gooding, P. (2015). Cognitive-behavioural suicide prevention for male prisoners: a pilot randomized controlled trial. *Psychological medicine*, 45(16), 3441–3451. <https://doi.org/10.1017/S0033291715001348>
- 140.Rahnama, Shirin & Tarkhan, Morteza & Khalatbari, Javad. (2013). Effectiveness of Imagery Rescripting and Reprocessing Therapy on Suicidal Ideation in Individuals with Suicide Attempt History. *Procedia - Social and Behavioral Sciences*. 84. 10.1016/j.sbspro.2013.06.706.
- 141.Ramos, K., Erkanli, A., & Koenig, H. G. (2018). Effects of religious versus conventional cognitive–behavioral therapy (CBT) on suicidal thoughts in major depression and chronic medical illness. *Psychology of Religion and Spirituality*, 10(1), 79–87. <https://doi.org/10.1037/rel0000113>
- 142.Resick, P. A., Wachen, J. S., Dondanville, K. A., Pruiksma, K. E., Yarvis, J. S., Peterson, A. L., Mintz, J., and the STRONG STAR Consortium, Borah, E. V., Brundige, A., Hembree, E. A., Litz, B. T., Roache, J. D., & Young-McCaughan, S. (2017). Effect of Group vs Individual Cognitive Processing Therapy in Active-Duty Military Seeking Treatment for Posttraumatic Stress Disorder: A Randomized Clinical Trial. *JAMA psychiatry*, 74(1), 28–36. <https://doi.org/10.1001/jamapsychiatry.2016.2729>
- 143.Rossouw, T. I., & Fonagy, P. (2012). Mentalization-based treatment for self-harm in adolescents: a randomized controlled trial. *Journal of the American Academy of Child and Adolescent Psychiatry*, 51(12), 1304–1313.e3. <https://doi.org/10.1016/j.jaac.2012.09.018>
- 144.Rudd, M. D., Rajab, M. H., Orman, D. T., Joiner, T., Stulman, D. A., & Dixon, W. (1996). Effectiveness of an outpatient intervention targeting suicidal young adults: preliminary results. *Journal of consulting and clinical psychology*, 64(1), 179–190. <https://doi.org/10.1037//0022-006x.64.1.179>
- 145.Rudd, M. D., Bryan, C. J., Wertenberger, E. G., Peterson, A. L., Young-McCaughan, S., Mintz, J., Williams, S. R., Arne, K. A., Breitbach, J., Delano, K., Wilkinson, E., & Bruce, T. O. (2015). Brief cognitive-behavioral therapy effects on post-treatment suicide attempts in a military sample: results of a randomized clinical trial with 2-year follow-up. *The American journal of psychiatry*, 172(5), 441–449. <https://doi.org/10.1176/appi.ajp.2014.14070843>
- 146.Ryberg, W., Zahl, P. H., Diep, L. M., Landrø, N. I., & Fosse, R. (2019). Managing suicidality within specialized care: A randomized controlled trial. *Journal of affective disorders*, 249, 112–120. <https://doi.org/10.1016/j.jad.2019.02.022>
- 147.Salkovskis, P. M., Atha, C., & Storer, D. (1990). Cognitive-behavioural problem solving in the treatment of patients who repeatedly attempt suicide. A

- controlled trial. *The British journal of psychiatry : the journal of mental science*, 157, 871–876. <https://doi.org/10.1192/bjp.157.6.871>
- 148.Samaraweera, S., Sivayogan, S., Sumathipala, A., Bhugra, D., & Siribaddana, S. (2007). RCT of Cognitive Behaviour Therapy in active suicidal ideation-as feasibility study in Sri Lanka. *The European Journal of Psychiatry*, 21(3), 175–178. <https://doi.org/10.4321/S0213-61632007000300001>
- 149.Sandler, I., Tein, J. Y., Wolchik, S., & Ayers, T. S. (2016). The Effects of the Family Bereavement Program to Reduce Suicide Ideation and/or Attempts of Parentally Bereaved Children Six and Fifteen Years Later. *Suicide & life-threatening behavior*, 46 Suppl 1(Suppl 1), S32–S38. <https://doi.org/10.1111/sltb.12256>
150. Untraceable
- 151.Sanz Cruces, J. M., García Cuenca, I. M., Lacomba-Trejo, L., Cuquerella Adell, M. Á., Cano Navarro, I., Ferrandis Cortés, M., Jordá Carreres, E., & Carbajo Álvarez, E. (2018). Group Therapy for Patients with Adjustment Disorder in Primary Care. *The Spanish journal of psychology*, 21, E50. <https://doi.org/10.1017/sjp.2018.51>
- 152.Sayal, K., Roe, J., Ball, H., Atha, C., Kaylor-Hughes, C., Guo, B., Townsend, E., & Morriss, R. (2019). Feasibility of a randomised controlled trial of remotely delivered problem-solving cognitive behaviour therapy versus usual care for young people with depression and repeat self-harm: lessons learnt (e-DASH). *BMC psychiatry*, 19(1), 42. <https://doi.org/10.1186/s12888-018-2005-3>
- 153.Schmidt, N. B., Norr, A. M., Allan, N. P., Raines, A. M., & Capron, D. W. (2017). A randomized clinical trial targeting anxiety sensitivity for patients with suicidal ideation. *Journal of consulting and clinical psychology*, 85(6), 596–610. <https://doi.org/10.1037/ccp0000195>
- 154.Schmidt, N. B., Capron, D. W., Raines, A. M., & Allan, N. P. (2014). Randomized clinical trial evaluating the efficacy of a brief intervention targeting anxiety sensitivity cognitive concerns. *Journal of consulting and clinical psychology*, 82(6), 1023–1033. <https://doi.org/10.1037/a0036651>
- 155.Shand, F., Mackinnon, A., O'Moore, K., Ridani, R., Reda, B., Hoy, M., Heard, T., Duffy, L., Shanahan, M., Pulver, L. J., & Christensen, H. (2019). The iBobbly Aboriginal and Torres Strait Islander app project: Study protocol for a randomised controlled trial. *Trials*, 20(1), 198. <https://doi.org/10.1186/s13063-019-3262-2>
- 156.Shear, M. K., Reynolds, C. F., 3rd, Simon, N. M., Zisook, S., Wang, Y., Mauro, C., Duan, N., Lebowitz, B., & Skritskaya, N. (2016). Optimizing Treatment of Complicated Grief: A Randomized Clinical Trial. *JAMA psychiatry*, 73(7), 685–694. <https://doi.org/10.1001/jamapsychiatry.2016.0892>
- 157.Sheaves, B., Holmes, E. A., Rek, S., Taylor, K. M., Nickless, A., Waite, F., Germain, A., Espie, C. A., Harrison, P. J., Foster, R., & Freeman, D. (2019). Cognitive Behavioural Therapy for Nightmares for Patients with Persecutory Delusions (Nites): An Assessor-Blind, Pilot Randomized Controlled Trial. *Canadian journal of psychiatry. Revue canadienne de psychiatrie*, 64(10), 686–696. <https://doi.org/10.1177/0706743719847422>

- 158.Simpson, G. K., Tate, R. L., Whiting, D. L., & Cotter, R. E. (2011). Suicide prevention after traumatic brain injury: a randomized controlled trial of a program for the psychological treatment of hopelessness. *The Journal of head trauma rehabilitation*, 26(4), 290–300. Simon, G. E., Beck, A., Rossom, R., Richards, J., Kirlin, B., King, D., Shulman, L., Ludman, E. J., Penfold, R., Shortreed, S. M., & Whiteside, U. (2016). Population-based outreach versus care as usual to prevent suicide attempt: study protocol for a randomized controlled trial. *Trials*, 17(1), 452. <https://doi.org/10.1186/s13063-016-1566-z>
- 159.<https://doi.org/10.1097/HTR.0b013e3182225250>
- 160.Sinnaeve, R., van den Bosch, L., Hakkaart-van Roijen, L., & Vansteelandt, K. (2018). Effectiveness of step-down versus outpatient dialectical behaviour therapy for patients with severe levels of borderline personality disorder: a pragmatic randomized controlled trial. *Borderline personality disorder and emotion dysregulation*, 5, 12. <https://doi.org/10.1186/s40479-018-0089-5>
- 161.Sinniah, A., Oei, T., Maniam, T., & Subramaniam, P. (2017). Positive effects of Individual Cognitive Behavior Therapy for patients with unipolar mood disorders with suicidal ideation in Malaysia: A randomised controlled trial. *Psychiatry research*, 254, 179–189. <https://doi.org/10.1016/j.psychres.2017.04.026>
- 162.Slee, N., Garnefski, N., van der Leeden, R., Arensman, E., & Spinhoven, P. (2008). Cognitive-behavioural intervention for self-harm: randomised controlled trial. *The British journal of psychiatry : the journal of mental science*, 192(3), 202–211. <https://doi.org/10.1192/bjp.bp.107.037564>
- 163.Spirito, A., Wolff, J. C., Seaboyer, L. M., Hunt, J., Esposito-Smythers, C., Nugent, N., Zlotnick, C., & Miller, I. (2015). Concurrent treatment for adolescent and parent depressed mood and suicidality: feasibility, acceptability, and preliminary findings. *Journal of child and adolescent psychopharmacology*, 25(2), 131–139. <https://doi.org/10.1089/cap.2013.0130>
- 164.Springer, T., Lohr, N. E., Buchtel, H. A., & Silk, K. R. (1996). A preliminary report of short-term cognitive-behavioral group therapy for inpatients with personality disorders. *The Journal of psychotherapy practice and research*, 5(1), 57–71.
- 165.Stallard, P., Phillips, R., Montgomery, A. A., Spears, M., Anderson, R., Taylor, J., Araya, R., Lewis, G., Ukoumunne, O. C., Millings, A., Georgiou, L., Cook, E., & Sayal, K. (2013). A cluster randomised controlled trial to determine the clinical effectiveness and cost-effectiveness of classroom-based cognitive-behavioural therapy (CBT) in reducing symptoms of depression in high-risk adolescents. *Health technology assessment (Winchester, England)*, 17(47), vii–109. <https://doi.org/10.3310/hta17470>
- 166.Stewart, C. D., Quinn, A., Plever, S., & Emmerson, B. (2009). Comparing cognitive behavior therapy, problem solving therapy, and treatment as usual in a high risk population. *Suicide & life-threatening behavior*, 39(5), 538–547. <https://doi.org/10.1521/suli.2009.39.5.538>
- 167.Swart, J., & Apsche, J. (2014). A comparative study of mode deactivation therapy (MDT) as an effective treatment of adolescents with suicidal and non-

- suicidal self-injury behaviors. *International Journal of Behavioral Consultation and Therapy*, 9(3), 47–52. <https://doi.org/10.1037/h0101640>
168. Stikkelbroek, Y., Bodden, D. H., Deković, M., & van Baar, A. L. (2013). Effectiveness and cost effectiveness of cognitive behavioral therapy (CBT) in clinically depressed adolescents: individual CBT versus treatment as usual (TAU). *BMC psychiatry*, 13, 314. <https://doi.org/10.1186/1471-244X-13-314>
169. Tang, T. C., Jou, S. H., Ko, C. H., Huang, S. Y., & Yen, C. F. (2009). Randomized study of school-based intensive interpersonal psychotherapy for depressed adolescents with suicidal risk and parasuicide behaviors. *Psychiatry and clinical neurosciences*, 63(4), 463–470. <https://doi.org/10.1111/j.1440-1819.2009.01991.x>
170. Tarrier, N., Haddock, G., Lewis, S., Drake, R., Gregg, L., & SoCRATES Trial Group (2006). Suicide behaviour over 18 months in recent onset schizophrenic patients: the effects of CBT. *Schizophrenia research*, 83(1), 15–27. <https://doi.org/10.1016/j.schres.2005.12.846>
171. Tarrier, N., Kelly, J., Maqsood, S., Snelson, N., Maxwell, J., Law, H., Dunn, G., & Gooding, P. (2014). The cognitive behavioural prevention of suicide in psychosis: a clinical trial. *Schizophrenia research*, 156(2-3), 204–210. <https://doi.org/10.1016/j.schres.2014.04.029>
172. Thompson, E. A., Eggert, L. L., Randell, B. P., & Pike, K. C. (2001). Evaluation of indicated suicide risk prevention approaches for potential high school dropouts. *American journal of public health*, 91(5), 742–752. <https://doi.org/10.2105/ajph.91.5.742>
173. Tighe, J., Shand, F., Ridani, R., Mackinnon, A., De La Mata, N., & Christensen, H. (2017). Ibobby mobile health intervention for suicide prevention in Australian Indigenous youth: a pilot randomised controlled trial. *BMJ open*, 7(1), e013518. <https://doi.org/10.1136/bmjopen-2016-013518>
174. Turner, R. M. (2000). Naturalistic evaluation of dialectical behavior therapy-oriented treatment for borderline personality disorder. *Cognitive and Behavioral Practice*, 7(4), 413–419. [https://doi.org/10.1016/S1077-7229\(00\)80052-8](https://doi.org/10.1016/S1077-7229(00)80052-8)
175. Tyrer, P., Remington, M., & Alexander, J. (1987). The outcome of neurotic disorders after out-patient and day hospital care. *The British journal of psychiatry : the journal of mental science*, 151, 57–62. <https://doi.org/10.1192/bjp.151.1.57>
176. Tyrer, P., Thompson, S., Schmidt, U., Jones, V., Knapp, M., Davidson, K., Catalan, J., Airlie, J., Baxter, S., Byford, S., Byrne, G., Cameron, S., Caplan, R., Cooper, S., Ferguson, B., Freeman, C., Frost, S., Godley, J., Greenshields, J., Henderson, J., ... Wessely, S. (2003). Randomized controlled trial of brief cognitive behaviour therapy versus treatment as usual in recurrent deliberate self-harm: the POPMACT study. *Psychological medicine*, 33(6), 969–976. <https://doi.org/10.1017/s0033291703008171>
177. Van Beek, W. Future thinking in suicidal patients, Ede: Print Service Ede B.V. , 2013, p226.
178. van Bentum, J. S., Sijbrandij, M., Kerkhof, A., Huisman, A., Arntz, A. R., Holmes, E. A., Franx, G., Mokkenstorm, J., & Huibers, M. (2019). Treating

- repetitive suicidal intrusions using eye movements: study protocol for a multicenter randomized clinical trial. *BMC psychiatry*, 19(1), 143. <https://doi.org/10.1186/s12888-019-2129-0>
179. van der Sande, R., van Rooijen, L., Buskens, E., Allart, E., Hawton, K., van der Graaf, Y., & van Engeland, H. (1997). Intensive in-patient and community intervention versus routine care after attempted suicide. A randomised controlled intervention study. *The British journal of psychiatry : the journal of mental science*, 171, 35–41. <https://doi.org/10.1192/bjp.171.1.35>
180. van Spijker, B. A., van Straten, A., & Kerkhof, A. J. (2014). Effectiveness of online self-help for suicidal thoughts: results of a randomised controlled trial. *PloS one*, 9(2), e90118. <https://doi.org/10.1371/journal.pone.0090118>
181. van Spijker, B. A., Werner-Seidler, A., Batterham, P. J., Mackinnon, A., Calear, A. L., Gosling, J. A., Reynolds, J., Kerkhof, A. J., Solomon, D., Shand, F., & Christensen, H. (2018). Effectiveness of a Web-Based Self-Help Program for Suicidal Thinking in an Australian Community Sample: Randomized Controlled Trial. *Journal of medical Internet research*, 20(2), e15. <https://doi.org/10.2196/jmir.8595>
182. van Wel, E. B., Bos, E. H., Appelo, M. T., Berendsen, E. M., Willgeroth, F. C., & Verbraak, M. J. (2009). De effectiviteit van de vaardigheidstraining emotieregulatiestoornis (VERS) in de behandeling van de borderlinepersoonlijkheidsstoornis; een gerandomiseerd onderzoek [The efficacy of the systems training for emotional predictability and problem solving (STEPPS) in the treatment of borderline personality disorder. A randomized controlled trial]. *Tijdschrift voor psychiatrie*, 51(5), 291–301.
183. Verheul, R., Van Den Bosch, L. M., Koeter, M. W., De Ridder, M. A., Stijnen, T., & Van Den Brink, W. (2003). Dialectical behaviour therapy for women with borderline personality disorder: 12-month, randomised clinical trial in The Netherlands. *The British journal of psychiatry : the journal of mental science*, 182, 135–140. <https://doi.org/10.1192/bjp.182.2.135>
184. Wagner, B., Horn, A. B., & Maercker, A. (2014). Internet-based versus face-to-face cognitive-behavioral intervention for depression: a randomized controlled non-inferiority trial. *Journal of affective disorders*, 152-154, 113–121. <https://doi.org/10.1016/j.jad.2013.06.032>
185. Wagner, B., Hofmann, L., & Maäß, U. (2020). Online-group intervention after suicide bereavement through the use of webinars: study protocol for a randomized controlled trial. *Trials*, 21(1), 45. <https://doi.org/10.1186/s13063-019-3891-5>
186. Walton, C. J., Bendit, N., Baker, A. L., Carter, G. L., & Lewin, T. J. (2020). A randomised trial of dialectical behaviour therapy and the conversational model for the treatment of borderline personality disorder with recent suicidal and/or non-suicidal self-injury: An effectiveness study in an Australian public mental health service. *The Australian and New Zealand journal of psychiatry*, 54(10), 1020–1034. <https://doi.org/10.1177/0004867420931164>
187. Tammi Walker, Jenny Shaw, Clive Turpin, Catherine Reid & Kathryn Abel (2017) The WORSHIP II study: a pilot of psychodynamic interpersonal therapy with women offenders who self-harm, *The Journal of Forensic*

- Psychiatry & Psychology, 28:2, 158-171, DOI: [10.1080/14789949.2017.1301529](https://doi.org/10.1080/14789949.2017.1301529)
188. Ward-Ciesielski, E. F., Tidik, J. A., Edwards, A. J., & Linehan, M. M. (2017). Comparing brief interventions for suicidal individuals not engaged in treatment: A randomized clinical trial. *Journal of affective disorders*, 222, 153–161. <https://doi.org/10.1016/j.jad.2017.07.011>
189. Wei, S., Liu, L., Bi, B., Li, H., Hou, J., Tan, S., Chen, X., Chen, W., Jia, X., Dong, G., Qin, X., & Liu, Y. (2013). An intervention and follow-up study following a suicide attempt in the emergency departments of four general hospitals in Shenyang, China. *Crisis*, 34(2), 107–115. <https://doi.org/10.1027/0227-5910/a000181>
190. Weinberg, I., Gunderson, J. G., Hennen, J., & Cutter, C. J., Jr (2006). Manual assisted cognitive treatment for deliberate self-harm in borderline personality disorder patients. *Journal of personality disorders*, 20(5), 482–492. <https://doi.org/10.1521/pedi.2006.20.5.482>
191. Weinstein, S. M., Cruz, R. A., Isaia, A. R., Peters, A. T., & West, A. E. (2018). Child- and Family-Focused Cognitive Behavioral Therapy for Pediatric Bipolar Disorder: Applications for Suicide Prevention. *Suicide & life-threatening behavior*, 48(6), 797–811. <https://doi.org/10.1111/sltb.12416>
192. Wharff, E. A., Ginnis, K. B., Ross, A. M., White, E. M., White, M. T., & Forbes, P. W. (2019). Family-Based Crisis Intervention With Suicidal Adolescents: A Randomized Clinical Trial. *Pediatric emergency care*, 35(3), 170–175. <https://doi.org/10.1097/PEC.0000000000001076>
193. Wilks, C. R., Lungu, A., Ang, S. Y., Matsumiya, B., Yin, Q., & Linehan, M. M. (2018). A randomized controlled trial of an Internet delivered dialectical behavior therapy skills training for suicidal and heavy episodic drinkers. *Journal of affective disorders*, 232, 219–228. <https://doi.org/10.1016/j.jad.2018.02.053>
194. Wood, A., Trainor, G., Rothwell, J., Moore, A., & Harrington, R. (2001). Randomized trial of group therapy for repeated deliberate self-harm in adolescents. *Journal of the American Academy of Child and Adolescent Psychiatry*, 40(11), 1246–1253. <https://doi.org/10.1097/00004583-200111000-00003>
195. Yen, S., Ranney, M. L., Krek, M., Peters, J. R., Mereish, E. H., Tezanos, K. M., Kahler, C. W., Solomon, J., Beard, C., & Spirito, A. (2020). Skills to Enhance Positivity in Suicidal Adolescents: Results from a Pilot Randomized Clinical Trial. *The journal of positive psychology*, 15(3), 348–361. <https://doi.org/10.1080/17439760.2019.1615105>
196. Zou, Y., Li, H., Shi, C., Lin, Y., Zhou, H., & Zhang, J. (2017). Efficacy of psychological pain theory-based cognitive therapy in suicidal patients with major depressive disorder: A pilot study. *Psychiatry research*, 249, 23–29. <https://doi.org/10.1016/j.psychres.2016.12.046>